
Radiometry and reflectance



http://16385.courses.cs.cmu.edu/

16-385 Computer Vision Fall 2020, Lecture 13

Overview of today's lecture

- Appearance phenomena.
- Measuring light and radiometry.
- Reflectance and BRDF.


Slide credits

Most of these slides were adapted from:


- Srinivasa Narasimhan (16-385, Spring 2014).
- Todd Zickler (Harvard University).
- Steven Gortler (Harvard University).

Appearance

Appearance




"Physics-based" computer vision (a.k.a "inverse optics")



$\mathbf{I} \Longrightarrow$ shape, illumination, reflectance


Example application: Photometric Stereo



Why study the physics (optics) of the world?

Lets see some pictures!

Light and Shadows








Reflections












Refractions









Interreflections



Scattering









More Complex Appearances
































Measuring light and radiometry


The solid angle subtended by a small surface patch with respect to point
 O is the area of its central projection onto the unit sphere about O



Depends on:

- orientation of patch
- distance of patch

The solid angle subtended by a small surface patch with respect to point
 O is the area of its central projection onto the unit sphere about O



Depends on:


- orientation of patch
- distance of patch

One can show:

$$d\omega = \frac{dA\cos\theta}{r^2}$$


Units: steradians [sr]

The solid angle subtended by a small surface patch with respect to point
 O is the area of its central projection onto the unit sphere about O




Depends on:

- orientation of patch
- distance of patch




Units: steradians [sr]

 To calculate solid angle subtended by a surface S relative to O you must add up (integrate) contributions from all tiny patches (nasty integral)



$$\Omega = \iint_S \frac{\vec{\mathbf{r}} \cdot \hat{\mathbf{n}} \ dS}{|\vec{\mathbf{r}}|^3}$$




Units: steradians [sr]

 Suppose surface S is a hemisphere centered at O. What is the solid angle it subtends?

- Suppose surface S is a hemisphere centered at O. What is the solid angle it subtends?
- Answer: 2\pi (area of sphere is 4\pi*r^2; area of unit sphere is 4\pi; half of that is 2\pi)

- Imagine a sensor that counts photons passing through planar patch X in directions within angular wedge W
- It measures radiant flux [watts = joules/sec]: rate of photons hitting sensor area
- Measurement depends on sensor area |X|




^{*} shown in 2D for clarity; imagine three dimensions

radiant flux $\Phi(W,X)$

• Irradiance:

A measure of incoming light that is independent of sensor area |X|


• Units: watts per square meter [W/m²]



• Irradiance:


A measure of incoming light that is independent of sensor area |X|

• Units: watts per square meter [W/m²]



• Irradiance:

- A measure of incoming light that is independent of sensor area |X|
- Units: watts per square meter [W/m²]
- Depends on sensor direction normal.




values are implied by context

• Radiance:

A measure of incoming light that is independent of sensor area |X|, orientation n, and wedge size (solid angle) |W|

• Units: watts per steradian per square meter [W/(m²·sr)]




been made if sensor was perpendicular to direction ω

• Radiance:

A measure of incoming light that is independent of sensor area $|\mathsf{X}|,$ orientation n, and wedge size (solid angle) $|\mathsf{W}|$

• Units: watts per steradian per square meter [W/(m²·sr)]




been made if sensor was perpendicular to direction $\boldsymbol{\omega}$

• Radiance:

A measure of incoming light that is independent of sensor area $|\mathsf{X}|,$ orientation n, and wedge size (solid angle) $|\mathsf{W}|$

• Units: watts per steradian per square meter [W/(m²·sr)]




been made if sensor was perpendicular to direction ω

• Radiance:

A measure of incoming light that is independent of sensor area $|\mathsf{X}|,$ orientation n, and wedge size (solid angle) $|\mathsf{W}|$


Units: watts per steradian per square meter [W/(m²·sr)]



been made if sensor was perpendicular to direction ω

• Attractive properties of radiance:


• Allows computing the radiant flux measured by any finite sensor



• Attractive properties of radiance:

• Allows computing the radiant flux measured by any finite sensor

$$\Phi(W,X) = \int_X \int_W L(\hat{\boldsymbol{\omega}},x) \cos \theta d\boldsymbol{\omega} dA$$




- Attractive properties of radiance:
 - Allows computing the radiant flux measured by any finite sensor

$$\Phi(W,X) = \int_X \int_W L(\hat{\boldsymbol{\omega}},x) \cos \theta d\boldsymbol{\omega} dA$$

Constant along a ray in free space

$$L(\hat{\boldsymbol{\omega}}, x) = L(\hat{\boldsymbol{\omega}}, x + \hat{\boldsymbol{\omega}})$$



- Attractive properties of radiance:
 - Allows computing the radiant flux measured by any finite sensor

$$\Phi(W,X) = \int_X \int_W L(\hat{\boldsymbol{\omega}},x) \cos \theta d\boldsymbol{\omega} dA$$


Constant along a ray in free space

$$L(\hat{\boldsymbol{\omega}}, x) = L(\hat{\boldsymbol{\omega}}, x + \hat{\boldsymbol{\omega}})$$

A camera measures radiance (after a <u>one-time radiometric calibration</u>).
 So RAW pixel values are proportional to radiance.


- "Processed" images (like PNG and JPEG) are not linear radiance measurements!!

Most light sources, like a heated metal sheet, follow Lambert's Law



• What is the radiance $L(\hat{\boldsymbol{\omega}}, \boldsymbol{x})$ of an infinitesimal patch [W/sr·m²]?


Most light sources, like a heated metal sheet, follow Lambert's Law



• What is the radiance $L(\hat{\boldsymbol{\omega}}, \boldsymbol{x})$ of an infinitesimal patch [W/sr·m²]?

Answer: $L(\hat{\boldsymbol{\omega}}, \boldsymbol{x}) = J_o/|X|$ (independent of direction)

Most light sources, like a heated metal sheet, follow Lambert's Law



• What is the radiance $L(\hat{\boldsymbol{\omega}}, \boldsymbol{x})$ of an infinitesimal patch [W/sr·m²]?

Answer: $L(\hat{\boldsymbol{\omega}}, \boldsymbol{x}) = J_o/|X|$ (independent of direction)


"Looks equally bright when viewed from any direction"


Radiometric concepts – boring...but, important!

source

$$d\omega$$
 (solid angle subtended by dA)
 R
 $d\omega$ (foreshortened area)
 $d\omega$
(foreshortened area)
 $d\omega$
(foreshortened area)
 $d\omega$
 $d\omega$
(1) Solid Angle : $d\omega = \frac{dA'}{R^2} = \frac{dA \cos \theta_i}{R^2}$ (steradian)
What is the solid angle subtended by a hemisphere?
(2) Radiant Intensity of Source : $J = \frac{d\Phi}{d\omega}$ (watts / steradian)
Light Flux (power) emitted per unit solid angle
(3) Surface Irradiance : $E = \frac{d\Phi}{dA}$ (watts / m²)
Light Flux (power) incident per unit surface area.
Does not depend on where the light is coming from!
 $d\omega$
(solid angle subtended by dA)
 $d\omega$
(4) Surface Radiance (tricky) :
 $L = \frac{d^2\Phi}{(dA\cos\theta_r) \ d\omega}$ (watts / m² steradian)
 L flux emitted per unit foreshortened area
per unit solid angle.
 L depends on direction θ_r
 $Surface can radiate into whole hemisphere.
 L depends on reflectance properties of surface.$

Appearance






Reflectance and BRDF

Reflectance

- Ratio of outgoing energy to incoming energy at a single point
- Want to define a ratio such that it:
 - converges as we use smaller and smaller incoming and outgoing wedges
 - does not depend on the size of the wedges (i.e. is intrinsic to the material)

Reflectance


- Ratio of outgoing energy to incoming energy at a single point
- Want to define a ratio such that it:
 - converges as we use smaller and smaller incoming and outgoing wedges
 - does not depend on the size of the wedges (i.e. is intrinsic to the material)



 $f_{x,\hat{\mathbf{n}}}(\hat{\boldsymbol{\omega}}_{\mathrm{in}},\hat{\boldsymbol{\omega}}_{\mathrm{out}})$

- Notations x and n often implied by context and omitted; directions \omega are expressed in local coordinate system defined by normal n (and some chosen tangent vector)
- Called Bidirectional Reflectance Distribution Function (BRDF)

BRDF: Bidirectional Reflectance Distribution Function



 $E^{surface}(\theta_i, \phi_i) \quad \text{Irradiance at Surface in direction } (\theta_i, \phi_i)$ $L^{surface}(\theta_r, \phi_r) \quad \text{Radiance of Surface in direction } (\theta_r, \phi_r)$

$$\mathsf{BRDF}: f(\theta_i, \phi_i; \theta_r, \phi_r) = \frac{L^{surface}(\theta_r, \phi_r)}{E^{surface}(\theta_i, \phi_i)}$$


Reflectance: BRDF

• Units: sr⁻¹

Real-valued function defined on the double-hemisphere


• Has many useful properties

Important Properties of BRDFs



• Conservation of Energy:

Property: "Helmholtz reciprocity"




• Helmholtz Reciprocity: (follows from 2nd Law of Thermodynamics)

BRDF does not change when source and viewing directions are swapped.

$$f_r(\vec{\omega}_{\rm in}, \vec{\omega}_{\rm out}) = f_r(\vec{\omega}_{\rm out}, \vec{\omega}_{\rm in})$$

Common assumption: Isotropy



Can be written as a function of 3 variables : $f(heta_i, heta_r,\phi_i-\phi_r)$

Reflectance: BRDF

• Units: sr⁻¹


- Real-valued function defined on the double-hemisphere
- Has many useful properties
- Allows computing output radiance (and thus pixel value) for any configuration of lights and viewpoint

$$L^{\text{out}}(\hat{\boldsymbol{\omega}}) = \int_{\Omega_{\text{in}}} f(\hat{\boldsymbol{\omega}}_{\text{in}}, \hat{\boldsymbol{\omega}}_{\text{out}}) L^{\text{in}}(\hat{\boldsymbol{\omega}}_{\text{in}}) \cos \theta_{\text{in}} d\hat{\boldsymbol{\omega}}_{\text{in}}$$
reflectance equation

Why is there a cosine in the reflectance equation?

Derivation of the Reflectance Equation

 $L^{S^{rc}}(\theta_i, \phi_i)$



From the definition of BRDF:

$$L^{\text{surface}}(\theta_r, \phi_r) = E^{\text{surface}}(\theta_i, \phi_i) f(\theta_i, \phi_i; \theta_r, \phi_r)$$

Derivation of the Scene Radiance Equation

From the definition of BRDF:

$$L^{\text{surface}}(\theta_r, \phi_r) = E^{\text{surface}}(\theta_i, \phi_i) f(\theta_i, \phi_i; \theta_r, \phi_r)$$

Write Surface Irradiance in terms of Source Radiance:

$$L^{surface}(\theta_r, \phi_r) = L^{src}(\theta_i, \phi_i) f(\theta_i, \phi_i; \theta_r, \phi_r) \underline{\cos \theta_i d\omega_i}$$


Integrate over entire hemisphere of possible source directions:


$$L^{surface}(\theta_r, \phi_r) = \int_{2\pi} L^{src}(\theta_i, \phi_i) f(\theta_i, \phi_i; \theta_r, \phi_r) \cos \theta_i \, \underline{d\omega_i}$$

Convert from solid angle to theta-phi representation:

$$L^{surface}(\theta_r,\phi_r) = \int_{-\pi}^{\pi} \int_{0}^{\pi/2} L^{src}(\theta_i,\phi_i) f(\theta_i,\phi_i;\theta_r,\phi_r) \cos\theta_i \underline{\sin\theta_i d\theta_i d\phi_i} d\phi_i$$

Differential Solid Angles






Bi-directional Reflectance Distribution Function (BRDF)

BRDF


Lambertian (diffuse) BRDF: energy equally distributed in all directions

What does the BRDF equal in this case?



Bi-directional Reflectance Distribution Function (BRDF)


Diffuse Reflection and Lambertian BRDF




- Surface appears equally bright from ALL directions! (independent of $\,\mathcal{V}\,$)
- Lambertian BRDF is simply a constant : $f(\theta_i, \phi_i; \theta_r, \phi_r) = \frac{\rho_d}{\pi}$ albedo
- Most commonly used BRDF in Vision and Graphics!

BRDF

Specular BRDF: all energy concentrated in mirror direction



Bi-directional Reflectance Distribution Function (BRDF)



• Valid for very smooth surfaces.


- All incident light energy reflected in a SINGLE direction (only when v = r).
- Mirror BRDF is simply a double-delta function :

$$f(\theta_i, \phi_i; \theta_v, \phi_v) = \rho_s \,\,\delta(\theta_i - \theta_v) \,\,\delta(\phi_i + \pi - \phi_v)$$

Example Surfaces

Body Reflection:

Diffuse Reflection Matte Appearance Non-Homogeneous Medium Clay, paper, etc



Many materials exhibit both Reflections:

Surface Reflection:

Specular Reflection Glossy Appearance Highlights Dominant for Metals








BRDF

Glossy BRDF: more energy concentrated in mirror direction than elsewhere



 $f_r(\vec{\omega}_{\rm in}, \vec{\omega}_{\rm out})$

Bi-directional Reflectance Distribution Function (BRDF)

Trick for dielectrics (non-metals)

- BRDF is a sum of a Lambertian diffuse component and non-Lambertian specular components
- The two components differ in terms of color and polarization, and under certain conditions, this can be exploited to separate them.

 $f(\vec{\omega}_i, \vec{\omega}_o) = f_d + f_s(\vec{\omega}_i, \vec{\omega}_o)$


Trick for dielectrics (non-metals)

- BRDF is a sum of a Lambertian diffuse component and non-Lambertian specular components
- The two components differ in terms of color and polarization, and under certain conditions, this can be exploited to separate them.


$$f(\vec{\omega}_i, \vec{\omega}_o) = f_d + f_s(\vec{\omega}_i, \vec{\omega}_o)$$

Often called the *dichromatic BRDF*:

- Diffuse term varies with wavelength, constant with polarization
- Specular term constant with wavelength, varies with polarization





Trick for dielectrics (non-metals)



 In this example, the two components were separated using linear polarizing filters on the camera and light source.

Tabulated 4D BRDFs (hard to measure)





Gonioreflectometer



[Ngan et al., 2005]


Low-parameter (non-linear) BRDF models

- A small number of parameters define the (2D,3D, or 4D) function
- Except for Lambertian, the BRDF is non-linear in these parameters
 Examples:

Where do these constants come from? Lambertian: $f(\omega_i, \omega_o) = \frac{a}{\pi}$ Phong: $f(\omega_i, \omega_o) = \frac{a}{\pi} + b \cos^c (2\langle \omega_i, n \rangle \langle \omega_o, n \rangle - \langle \omega_i, \omega_o \rangle)$ Blinn: $f(\omega_i, \omega_o) = \frac{a}{\pi} + b \cos^c b(\omega_i, \omega_o)$ Lafortune: $f(\omega_i, \omega_o) = \frac{a}{\pi} + b(-\omega_i^{\top} A \omega_o)^k$ Ward: $f(\omega_i, \omega_o) = \frac{a}{\pi} + \frac{b}{4\pi c^2 \sqrt{\langle n, \omega_i \rangle \langle n, \omega_i \rangle}} \exp\left(\frac{-\tan^2 b(\omega_i, \omega_o)}{c^2}\right)$ α is called the *albedo*

Reflectance Models

Reflection: An Electromagnetic Phenomenon



Two approaches to derive Reflectance Models:


- Physical Optics (Wave Optics)

- Geometrical Optics (Ray Optics)

Geometrical models are approximations to physical models But they are easier to use!

Reflectance that Require Wave Optics







References

Basic reading:

- Szeliski, Section 2.2.
- Gortler, Chapter 21.

This book by Steven Gortler has a great *introduction* to radiometry, reflectance, and their use for image formation.

Additional reading:

- Arvo, "Analytic Methods for Simulated Light Transport," Yale 1995.
- Veach, "Robust Monte Carlo Methods for Light Transport Simulation," Stanford 1997. These two thesis are foundational for modern computer graphics. Among other things, they include a thorough derivation (starting from wave optics and measure theory) of all radiometric quantities and associated integrodifferential equations. You can also look at them if you are interested in physics-based rendering.
- Dutre et al., "Advanced Global Illumination," 2006.
 - A book discussing modeling and simulation of other appearance effects beyond single-bounce reflectance.
- Weyrich et al., "Principles of Appearance Acquisition and Representation," FTCGV 2009. A very thorough review of everything that has to do with modeling and measuring BRDFs.
- Walter et al., "Microfacet models for refraction through rough surfaces," EGSR 2007. This paper has a great review of physics-based models for reflectance and refraction.
- Matusik, "A data-driven reflectance model," MIT 2003.
 - This thesis introduced the largest measured dataset of 4D reflectances. It also provides detailed discussion of many topics relating to modelling reflectance.
- Rusinkiewicz, "A New Change of Variables for Efficient BRDF Representation," 1998.
- Romeiro and Zickler, "Inferring reflectance under real-world illumination," Harvard TR 2010. These two papers discuss the isotropy and other properties of common BRDFs, and how one can take advantage of them using alternative parameterizations.
- Shafer, "Using color to separate reflection components," 1984. The paper introducing the dichromatic reflectance model.
- Stam, "Diffraction Shaders," SIGGRAPH 1999.
- Levin et al., "Fabricating BRDFs at high spatial resolution using wave optics," SIGGRAPH 2013.
- Cuypers et al., "Reflectance model for diffraction," TOG 2013.

These three papers describe reflectance effects that can only be modeled using wave optics (and in particular diffraction).